

**58406.9—
2019**



2019

1 «
» (« »)
 » (« »)
 *
 »

2 418 «
3 »
8 -
31 2019 . 275-

4

5 110—2016

29 26
2015 . N9 162- «
) ».
— 1
— () «
— ».
— , «
— , ».
— (www.gost.ru)

1	1	
2	1	
3	2	
4	,	2
5	4	
6	4	
7	5	
8	5	
9		
10	6	
()		
	,	7

Automobile roads of general use. Asphalt mixtures and asphalt concrete for road pavement. Method for compaction specimens using Marshall compactor

— 2019—06—01

1

31,5 **152,4** . **22,4** **101,6**

2

8

12.1.019

12.4.131
12.4.132
12.4.252

166 (3599—76)
427
33029—2014

58401.9

58401.10

58401.13—2019

58401.24

().

3

3.1

(,

)

(58401.1—2019, 3.1]

3.2


(58401.6—2019. 3.2]

4

4.1

1.

1.



1


	dj.	dy		
	104.75 ± 0.65	101.60 ± 0.20	101.20 ± 0.10	87.40 ± 0.50
	155.60 ± 1.00	152.40 ± 0.20	151.60 ± 0.30	114.30 ± 0.30

4.2

(55 ±5)

2.

2.



1 — скользящий груз, 2 — стержень; 3 —

2 —

2

		4535115	457.211,5
		10210120	457.212.5

4.3

4.4

180

450

(25 ± 2.5)

295

0.67 0.77 / ³

100

(4550 1 20)

4.5

4.6
220 °C

3 °C.

4.7

5

4.8

4.9

4.10

4.11

4.12

4.13

6 10
0' 200'

1 0.1 %

4.14

166.

4.15

427.

4.16

).

5

12.4.132.

12.4.252.

12.4.131

12.1.019

6

(221 3) ;

80 %.

7

7.1
105 110* .

33029—2014 (9)

7.2 (),
 (63.5 ± 2.5) (95.2 \pm 2.5) . ,
 1200 . , . 4050 .

4050

58401.9

7.3 (),

(0.1710.02)

58401.13—2019 (

).

8

7.4

)

7.5

« »

7.6

58401.24.

(0,28 ± 0,03)

58401.13—2019 (

7.7

8

8.1

90 °C 150 *

8.2

83

15

10

8-4

8.5

8.6

50

75

50.

8.7

8.8

8.9

152.4 — (95.2 ± 2.5)

101.6

(63.5 ± 2.5)

8.10

16

(22 ± 3) °C

nop.

8.11

— 8

9

()

(

).

10


()

.1 , ,
 4 58401.10.
 .2 , ,
 .2.1 , ,
 .2.2 , , 8.
 .2.3 , ,
 8. , , 8 .2.1. -
 .2.4 , ,
 58401.10. G^A 0.020 / 3,
 5 10

.2.5 , , 58401.10.

6^A , ,

.1.



58406.9—2019

625.7/.8:006.3 8:006.354

93.080.20

7—2019/40

05.04.2019. 13.04.2019. 60'84 .
. . . 1.40. - . . t.12.

117419 . . . 3t. . 2.
www.gostinfa.ru inf@gostinfa.ru